

Profi 1 Lux



photo5.pl



"5E=8G5A:85 40==K5: 02;5=85, 10@ - 200 @>B>:, ;/G0A - 900 >I=>ABL, : B - 5,5 !5BL - :
 1450 59B8=3: >:0 157 805-0B 8 8 8 8 :0B>@ A 5>K=0 O F5=04 3455:3@=0 A> A:84:>9:
 43455 3@=.
 &5=0 =0 ?@>406C A> A:84:>9:
 &5=0 =0 ?@>406C:
 43455 3@=.
 &5=0 =0 ?@>406C 157 A:84:8:
 43455 3@=.
 !:84:0:
 !C<<0 =0;>30:

[_0409B5 2>?@>A ?> MB><C B>20@C> 872>48 P5.r.fitech](#)

?8A0=85

08<5=>20=85

01>G55 402;5=85

bar

0AE>4 2>4K ;/G0A

>I=>ABL, : B

0?@O65=85,

0:A. B5<?5@0BC@0 2>4K =0 2E>45 °!

&5=0 A !. 3@=.

Profi KM 400

210

1000

5,5

380

80

18 000 ,00

& 5=0 A> A:84:>9 16 900,00

>=AB@C:F80 0??0@0B0:

1). 2830B5;L ?@><KH;5==>3> ;;0AA0.

-B@5ED07=K9 0A8-B@>=>MA,=K9 42839@5;B:>70<:=CBK< @>B>@><;

-G0AB>B0 2@0B5>80<8=;

-?>=865==K9 C@>25=L 281@0F88;

2). ><UDOR(B0;80) ?@><KH;5==>3> ;;0AA0.

-B@5E?;C=65@=00 :@82>H8?=>-H0BC==00 A :5@0<8G5A:8<8 38;L70<8.

- @07=K9 480<5B@ 2?CA:=KE 8 2K?CA:=KE ;;0?0=>2 C25;8G8205B 8E A@>: A;C61K;

3). -;0AB8G=0O @0745;8B5;L=0O <CDB0 >15A?5G8205B 8450;L=CN 7018BC 8 F5=B@8@>20=85
A2>N >G5@54L, >15A?5G8205B ?;02=>ABL ?CA:0, 8 :0: A;54AB285, 30@0=B8@C5B 1>;LH>9 <>

4). 5<?D5@ - 30A8B 384@>C40@K, >1@07CNI85AO ?@8 2;;NG5=88 8 >B;;NG5=88 0??0@0B0,

5). 5@5?CA:=>9 ;;0?0= A @53C;5@>2:>9 402;5=8O 2 480?07>=5 >B 20 10@ 4> <0:A8<C<0;

6). "5?;>2>5 @5;5, 02B><0B 7018BK 2;:/2K;;

7). 0=><5B@ 402;5=8O 87 =5@6025NI59 AB0;8;

8). E>4 2>4K 8 2KE>4 2K2545=K =0 >4=C ?0=5;L A> AB>@>=K :=>?>: C?@02;5=8O 0??0@0E

9). \$8;LB@ =0 2E>45 2>4K >15A?5G8205B 7018BC ?><?K >B ?>?040=8O <5;;8E G0AB8F.

0@0=B8O =0 0??0@0B A>AB02;O5B 24 <5AOF0

" 0 0H8< ?@54?@8OB85< 1C45B 70:@5?;Q= A5@28A=K9 8=65=5@ 4;O >15A?5G5=8O 15A?5@

" 0 2AN =865C:070==CN ?@>4C:F8N ?@54>AB02;O5BAO B5E=8G5A:0O 4>:C<5=B0F8O =0 @CA

B7K2K

8:0:8E @8F5=789 =0 MB>B B>20@ ?>:0 =5 =0?8A0=>.